

Pro: **Gentric**Single Tuner™ LED TV with Integrated Pro:Idiom®

▶ 49LX560H

49" Class (48.5" diagonal)

▶ 43LX560H

43" Class (42.51" diagonal)

▶ 40LX560H

40 Class (39.5" diagonal)

→ 32LX560H

32" Class (31.55" diagonal)



RAISING THE STANDARD OF FINE SERVICE

Whenever guests find comfortable accommodations that suit their needs, LG Hotel TVs have been a part of leaving a positive impression. LG's continuing commitment towards achieving the highest standard of excellence enables us to deliver the best solutions and products in the industry.

A TRUE DEDICATION TO MUTUAL SUCCESS

LG's focus on the success of your business and your guest's satisfaction has led to true partnerships based on reliability, trust and excellence.

MAXIMIZING THE GUEST EXPERIENCE

As hotel guests are increasingly demanding their at-home viewing experience, greater customization and flexibility of their TV service, the same needs have risen for service providers. LG hotel TVs provide the built-in capability to support customized applications and services through a wide array of system integrators and service providers.

Pro: Gentric Application

LG's Pro:Centric[®] Application enhances the hotel guest experience of their in-room hotel TV. Guests can locate and enjoy available television programming, check on the daily weather and review hotel amenities - all from the comfort of their room using their LG HD TV.

Pro:Centric acts as a digital concierge – guests are presented with a branded user interface on the television and can view "electronic billboards", which present information on hotel amenities such as restaurants, bars, fitness and business centers; or use the interactive Electronic Program Guide (EPG) to select their favorite sitcom or find the premium movie channels.





Portal Welcome Page

Custom Billboards



FREE Interactive Electronic Program Guide Service for Pro:Centric® TVs!



Plan Highlights

If your property has purchased or plans to purchase LG's Pro:Centric® TVs, you qualify for a free Electronic Program Guide (EPG) that allows guests to easily navigate TV channels and programs - just like they do at home.

Participating properties must purchase and install a Pro:Centric® server and supply an internet connection for daily program updates. Properties must also contract with an LG authorized partner to install and program the server to match your Free-to-Guest (FTG)


FREE program guide service runs until Dec. 2017, replacing the current programming fee of \$1.50 per room per month.

Contact your LG sales representative or visit LG.com/us/commercial/display-discover/epq/index.jsp



Self Diagnostic

Enables service engineers to recognize technical issues in the TV quickly and easily through a USB device. The TV stores any technical issues it encounters and an output it to a USB device. Service engineers can use the information to analyze technical issues without the actual TV.





Welcome Screen

Welcome guests with a warm greeting message that includes your hotel name and logo.





Eco Friendly

LG Hotel TVs has excellent energy saving features such as Intelligent Sensor, Dynamic Power Savings, and Static Power Savings. The hotels can enjoy cost savings while supporting efforts of Green initiative.





USB Cloning

The USB Cloning feature allows you to simply copy the TV settings onto all TVs using a USB stick, a process that is fully automated to save time without having to set each TV one by one.







Multi IR

Multi IR function eliminates the remote control signal interference between TVs in multiple dwelling rooms. This system will work using the same LG TV model. (Optional 124-213-10 required)





49LX560H







43LX560H






40LX560H | 32LX560H





Rear Jack Panel



Side Jack Panel





The Anti-theft system provides security to prevent TVs theft. Consisting of a Kensington Lock, Mounting Holes, and Credenza Lock Down Plate.

Kensington Lock

• LG Hotel TVs are protected by the reliable solution the Kensington Lock

Reinforced Metal Stand

- Full metal reinforced stand to improve sturdiness, durability and safety.
 • Provides (±20°) Swivel out of the box
- Provides (±20/45/90°) Swivel when used with Lock Down plate.

Lock Down Plate with Credenza Hole Lock the TV firmly to the credenza for added

- security and help deter theft.
- (Mounting plate, security bolts, nuts and screws are included)





Pro: Centric Single Tuner LED TV with Integrated Pro:Idiom

49" Class (48.5" diagonal)





▶ 43LX560H

43" Class (42.51" diagonal)

▶ 40LX560H

40 Class (39.5" diagonal)

PANEL	MODEL	49LX560H	43LX560H	40LX560H	32LX560H	
	Panel Size	49" Class (48.5" diagonal)	43" Class (42.51" diagonal)	40" Class (39.5" diagonal)	32" Class (31.55" diagonal)	
	Panel Technology	Edge Direct				
	Native Resolution	1920 x 1080 (FHD)				
	Brightness	214cd/m ²	247cd/m ²	225cd/m ²	195cd/m ²	
	Dynamic Contrast Ratio	1,000,000:1				
	Static Panel Contrast Ratio	1200:1		4000:1	1200:1	
	Viewing Angle	178/	°178°	176° /176°	178/°178°	
	Response Time (G to G)	9ms	8ms	9.5ms	7ms	
	Frame Rate	60Hz				
BROAD- CASTING SYSTEM	Analog	Yes (NTSC)				
	Digital	ATSC/QAM/VSB				
VIDEO	Triple XD Engine	Yes				
	Dynamic Color Enhancer	Yes				
	Real Cinema	24p (3:3 pull down)				
	Aspect Ratio	Yes 5 modes (16:9, Just Scan, Set By Program, 4:3, Zoom)				
ALIDIO	Audio Output	10W + 10W 5W + 5W				
AUDIO	Sound System	2.0 ch				
	Sound Mode	Yes 6 modes (Standard, News, Music, Cinema, Sport, Game)				
	Optical Sound Sync	Yes				
	Clear Voice II	Yes				
	Sound Optimizer	Yes 3 modes (Normal, Wall-Mount Type, Stand Type)				
SPECIAL	Pro:Centric	Yes (Single Tuner)				
FEATURES	Pro:Centric Application	Yes (PCA3.0)				
	RF	Yes (1 Tuner)				
	HCAP	GEM / Flash				
	Self Diagnostics	Yes (RF/USB)				
	Auto Configuraiton	EzManager				
	Multicast/Unicast Ready	Yes (P:C Server)				
	HDMI-CEC	Yes (without ARC)				
	HTNG-CEC Pro:Idiom	Yes				
	Instant ON	Yes Yes				
	Welcome Screen	Yes Yes				
	SI Compatible	Yes Yes (MPI Protocol)				
	Hotel Mode	Yes (MPI Protocol) Yes (Installer menu)				
	IR Out	Yes (Installer menu) Yes (MPI Jack)				
	External Speaker Out	Yes (Variable/Fixed/Line Out, 3.5mm, Stereo, Single ended Type(GND,L+,R+), 1W with 8Ω)				
	USB 2.0	Single ended Type(GND,L+,R+), TVV with 632) Yes				
	USB Moving Picture Playback	Divx HD				
	USB Picture	JPEG				
	USB Audio Codec	AC3 (Dolby Digital), EAC3, AAC, Mpeg, MP3, PCM				
	Logical Channel Map	ACS (Dolby Digital), EACS, AAC, Mipey, MPS, PCM Yes				
	Multi IR Code	Yes				
	Auto Off / Auto Sleep	Yes				
	Smart Energy Saving	Yes				
	Motion Eye Care	Yes				
	Kensington Lock	Yes (Stand)				
	Credenza/Security Screw Hole	Yes				
	Lock Down Plate	Yes (Stand)				
	Commercial Grade Stand	Yes				

INTERFACE (SIDE)	MODEL	49LX560H	43LX560H	40LX560H	32LX560H		
	HDMI In			2			
	USB	1 (2.0)					
	RF In	1					
(REAR)	AV In	1					
	Digital Audio Out	1 (Optical)					
	HDMI/HDCP Input	1					
	RGB In	1 (D-sub 15pin)					
	PC Audio Input	1 (Sharing with AV In)					
	RS-232C (D-sub 9pin)	1 (Service Only)					
	HDMI In	1					
	LAN Port	1					
	MPI Port	1 (RJ12)					
	External Speaker Out	1 (3.5mm Phone Jack)					
	PTC Configuration	1 (Sharing with RS232C)					
	MPI Jack (RJ-12)	1					
ACCESSORIES	Power Cord	5.9' Angel Type					
	Manual / ESG	Simple Book					
POWER	Voltage	110 ~ 240V, 50/60Hz					
	Typical	38W	40W	34W	27.5W		
	Stand-by		0.5	w ţ			
CABINET	Bezel Width On (L/R, U, B) (mm)	15.1, 12.7, 17.8	14.9, 12.5, 17.6	15.5, 12.8, 16.3	17, 14.3, 17.6		
	Bezel Width Off (L/R, U, B) (mm)	12.6, 10.2, 15.3	12.6, 10.2, 15.3	14.5, 11.8, 15.3	14.5, 11.8, 15.3		
	Swivel (Angle)	20° (± 45°s / 90 ° optional)					
	VESA Compatible	300x300mm 200x200mm					
	Without Stand	43.5"x25.5"x2.2"	38.3"x22.6"x2.2"	35.9"x20.8"x2.2"	28.9"x17.2"x2.2"		
	Weight Without Stand	31.7 lbs	22.5 lbs	16.5 lbs	11.7 lbs		
	With Stand	43.5"x27.6"x12.8"	38.3"x24.6"x12.8"	35.9"x22.7"x11.1"	28.9x19.3"x11.1"		
	Weight With Stand	39.2 lbs	30.0 lbs	22.9 lbs	18.0 lbs		
	Carton	47.1"x29.9"x6.4"	41.3"x25.8"x5.5"	42.1"x24.0"x6.4"	31.9"x20.0"x6.9"		
	Carton Weight	46.2 lbs	35.1 lbs	27.1 lbs	20.9 lbs		
REQUIRED LISTINGS	Safety	UL, FCC					
	Environment	RoHS					
	Etc.	cUL, NOM, Energy Star 7.0					
OTHER	UPC	7 19192 19686 5	7 19192 19687 2	7 19192 19688 9	7 19192 19689 6		
WARRANTY	2-Year Limited Warra	anty (Parts and Labor) Extended Warranties Available					
	2 rear Emiliary (rai es and Edoor) Exteriora variances (validate						

INTERFACE MODEL 49LX560H 43LX560H 40LX560H 32LX560H



LGsolutions.com

The estimated annual energy cost determined in accordance with 16 CFR Part 305.5 for model 49LX560H, 43LX560H, 40LX560H, and 32LX560H are \$9, \$8, \$8, and \$6 respectfully.

"Your energy cost depends on your utility rates and use. The estimated cost is based on 11 cents per kWh and 5 hours of use per day. For more information, visit www.ftc.gov/energy." 1

1FTC Television labeling rule (18 CFR Part 305, as added by 76 Fed. Reg. 1038 (Jan 6, 2011)).



























Customer Service: 888.865.3026 www.LGsolutions.com/support

Contact your LG Regional Sales Representative: Channel: 800.897.8871 Hospitality 800.228.1236 E-mail: info@LGsolutions.com



 $^{\rm -}$ Copyright 2015 LG Electronics USA, Inc. All Rights Reserved. "LG Life's Good" is a registered trademark of LG Corp.

ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. In Plane Switching is a trademark of LG Display Co., LTD. Java is a trademark of Oracle, Inc. Adobe and Flash are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. VESA is a trademark of Video Electronics Standards Association. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

All other product and brand names are trademarks or registered trademarks of their respective companies.





